PEPTIDEDOSAGE

# DSIP Dosage Chart

Medically reviewed May 21, 2026 · Page updated November 21, 2026

TYPICAL RESEARCH DOSE

## 100–500 mcg once daily SC before bedtime

### 5 mg vial + 3 mL bacteriostatic water

1.67 mg/mL · 1 unit = 16.7 mcg on a U-100 syringe

| WEEK | DAILY DOSE (MCG) | UNITS (PER INJECTION) (ML) |
|---|---|---|
| Week 1 | 100 mcg | 6 units (0.06 mL) |
| Week 2 | 150 mcg | 9 units (0.09 mL) |
| Week 3 | 200 mcg | 12 units (0.12 mL) |
| Weeks 4–8 | 250–300 mcg | 15–18 units (0.15–0.18 mL) |

### 10 mg vial + 3 mL bacteriostatic water

3.33 mg/mL · 1 unit = 33.3 mcg on a U-100 syringe

| WEEK | DAILY DOSE (MCG) | UNITS (PER INJECTION) (ML) |
|---|---|---|
| Week 1 | 100 mcg | 3 units (0.03 mL) |
| Week 2 | 150 mcg | 5 units (0.05 mL) |
| Week 3 | 200 mcg | 6 units (0.06 mL) |
| Weeks 4–8 | 250–300 mcg | 8–9 units (0.08–0.09 mL) |

### DSIP dose to syringe units, by vial size

U-100 insulin syringe: 100 units = 1 mL.

| DOSE | 5 MG VIAL + 3 ML (1.67 MG/ML) | 10 MG VIAL + 3 ML (3.33 MG/ML) |
|---|---|---|
| 100 mcg | 6 units (0.06 mL) | 3 units (0.03 mL) |
| 150 mcg | 9 units (0.09 mL) | 4.5 units (0.045 mL) |
| 200 mcg | 12 units (0.12 mL) | 6 units (0.06 mL) |

STORAGE

Lyophilized frozen; reconstituted refrigerated; avoid repeated freeze–thaw.

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.