PEPTIDEDOSAGE

GHRP-1 Dosage Chart

Medically reviewed June 21, 2026 · Page updated November 21, 2026

TYPICAL RESEARCH DOSE

~100 mcg per dose (~1 mcg/kg), 1-3x daily SC (research)

5 mg vial + 2 mL bacteriostatic water

2.5 mg/mL · 1 unit = 25 mcg on a U-100 syringe

PHASE	DOSE PER INJECTION	UNITS (PER INJECTION)
Weeks 1-2 — assessment, single morning dose	50 mcg	2 units (0.02 mL)
Standard research dose (~1 mcg/kg), 1-2x daily	100 mcg	4 units (0.04 mL)
Upper per-injection reference, 1-3x daily	150 mcg	6 units (0.06 mL)

GHRP-1 dose to syringe units, by vial size

U-100 insulin syringe: 100 units = 1 mL.

DOSE	5 MG VIAL + 2 ML (2.5 MG/ML)
50 mcg	2 units (0.02 mL)
100 mcg	4 units (0.04 mL)
150 mcg	6 units (0.06 mL)

STORAGE

Lyophilized powder stored frozen at -20 °C, protected from light and moisture. After reconstitution, refrigerate at 2-8 °C and use within roughly 3-4 weeks; do not freeze the reconstituted solution.

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.