PEPTIDEDOSAGE

GHRP-6 Dosage Chart

Medically reviewed May 21, 2026 · Page updated November 21, 2026

TYPICAL RESEARCH DOSE

100–300 mcg per injection, 3×/day SC

2 mg vial + 3 mL bacteriostatic water

0.67 mg/mL · 1 unit = 6.7 mcg on a U-100 syringe

WEEK/PHASE	DOSE PER INJECTION (MCG)	UNITS (PER INJECTION) (ML)
Weeks 1–2	100 mcg	15 units (0.15 mL)
Weeks 3–4	200 mcg	30 units (0.30 mL)
Weeks 5–12	300 mcg	45 units (0.45 mL)

5 mg vial + 3 mL bacteriostatic water

1.67 mg/mL · 1 unit = 16.7 mcg on a U-100 syringe

WEEK/PHASE	DOSE PER INJECTION (MCG)	UNITS (PER INJECTION) (ML)
Weeks 1–2	100 mcg	6 units (0.06 mL)
Weeks 3–4	200 mcg	12 units (0.12 mL)
Weeks 5–12	300 mcg	18 units (0.18 mL)

10 mg vial + 3 mL bacteriostatic water

3.33 mg/mL · 1 unit = 33.3 mcg on a U-100 syringe

WEEK/PHASE	DOSE PER INJECTION (MCG)	UNITS (PER INJECTION) (ML)
Weeks 1–2	100 mcg	3 units (0.03 mL)
Weeks 3–4	200 mcg	6 units (0.06 mL)
Weeks 5–12	300 mcg	9 units (0.09 mL)

GHRP-6 dose to syringe units, by vial size

U-100 insulin syringe: 100 units = 1 mL.

DOSE	2 MG VIAL + 3 ML (0.67 MG/ML)	5 MG VIAL + 3 ML (1.67 MG/ML)	10 MG VIAL + 3 ML (3.33 MG/ML)
100 mcg	15 units (0.15 mL)	6 units (0.06 mL)	3 units (0.03 mL)
200 mcg	30 units (0.3 mL)	12 units (0.12 mL)	6 units (0.06 mL)
300 mcg	45 units (0.45 mL)	18 units (0.18 mL)	9 units (0.09 mL)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

STORAGE

Lyophilized frozen; reconstituted refrigerated; use within 7 days.

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptides/ghrp-6/dosage