PEPTIDEDOSAGE

Ovagen Dosage Chart

Medically reviewed May 21, 2026 · Page updated November 21, 2026

TYPICAL RESEARCH DOSE

10–150 mcg once daily SC (titrated; oral capsules ~100–200 mcg)

20 mg vial + 2 mL bacteriostatic water

10 mg/mL · 1 unit = 100 mcg on a U-100 syringe

WEEK	DAILY DOSE (G)	UNITS (PER INJECTION) (ML)
Weeks 1–2	10 µg (0.01 mg)	0.1 units (0.001 mL)
Weeks 3–4	20 µg (0.02 mg)	0.2 units (0.002 mL)
Weeks 5–6	50 µg (0.05 mg)	0.5 units (0.005 mL)
Weeks 7–8	100 µg (0.1 mg)	1 unit (0.01 mL)
Weeks 9–16	100–150 µg (0.1–0.15 mg)	1–1.5 units (0.01–0.015 mL)

Ovagen dose to syringe units, by vial size

U-100 insulin syringe: 100 units = 1 mL.

DOSE	20 MG VIAL + 2 ML (10 MG/ML)
10 mcg	under 1 unit
20 mcg	under 1 unit
50 mcg	0.5 units (0.005 mL)
100 mcg	1 units (0.01 mL)

STORAGE

Lyophilized frozen; reconstituted refrigerated; avoid repeated freeze–thaw.

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.