PEPTIDEDOSAGE

Peptide Dosage Chart: 173 Compounds

Updated November 21, 2026

Vial size, bacteriostatic water volume and resulting concentration for each protocol, with the typical research dose listed on its page. Units for any dose: dose (mg) ÷ concentration (mg/mL) × 100 on a U-100 insulin syringe.

PEPTIDE	CATEGORY	VIAL	BAC WATER	CONCENTRATION	TYPICAL RESEARCH DOSE
5-Amino-1MQ	Weight Loss	10 mg	2 mL	5 mg/mL	2.5–5 mg once daily SC (oral research dosing: 50–150 mg/day)
ACE-031	Anabolics	1 mg	1 mL	1 mg/mL	0.02-3 mg/kg SC every 2-4 weeks (clinical; program discontinued)
Adamax	Cognitive	10 mg	3 mL	3.33 mg/mL	300–1000 mcg once daily SC (intranasal: 100–600 mcg 1–2×/day)
Adipotide	Weight Loss	10 mg	3 mL	3.33 mg/mL	250–1000 mcg once daily SC (titrated)
AHK-Cu	Skin & Hair	10 mg	2 mL	n/a	200-500 mcg once daily (topical, ~200-500 ppm)
AICAR	Metabolic	50 mg	3 mL	16.67 mg/mL	1–5 mg once daily SC (titrated)
Amycretin	Weight Loss	20 mg	2 mL	10 mg/mL	1.25–20 mg once weekly SC (up to 60 mg studied)
Anamorelin	Growth Hormone	50 mg	1 mL	n/a	100 mg once daily orally
AOD-9604	Weight Loss	2 mg	3 mL	0.67 mg/mL	300–500 mcg once daily SC
AOD-9604 + CJC-1295 + Ipamorelin	Weight Loss	12 mg	3 mL	4 mg/mL	200–400 mcg AOD-9604 + 100–200 mcg CJC-1295 + 100–200 mcg ipamorelin once daily SC
Apraglutide	Healing & Recovery	10 mg	1.5 mL	6.67 mg/mL	5 mg SC once weekly (>=50 kg); 2.5 mg once weekly (<50 kg)
Ara-290	Healing & Recovery	16 mg	2 mL	8 mg/mL	4 mg once daily SC (2 mg week-1 titration)
Argireline	Skin & Hair	10 mg	2 mL	n/a	5-10% topical serum/cream, applied twice daily
B7-33	Healing & Recovery	5 mg	2 mL	2.5 mg/mL	No validated human dose; ~0.25 mg/kg/day SC (preclinical)
Becaplermin	Healing & Recovery	1.5 mg	1.5 mL	1 mg/mL	0.01% gel (100 mcg/g), thin layer once daily; ~50-150 mcg delivered per application

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

Beinaglutide	Weight Loss	2 mg	2 mL	1 mg/mL	0.1-0.2 mg (100-200 mcg) SC three times daily
Bimagrumab	Anabolics	200 mg	2 mL	100 mg/mL	10 mg/kg IV every 4 weeks (max 1200 mg)
Bonomarlot	Longevity	20 mg	1 mL	n/a	10-20 mg/day orally (1-2 caps)
Bonothyrk	Longevity	20 mg	1 mL	n/a	20 mg/day oral (2 × 10 mg capsules); 30-day course, repeated every 3-6 months
BPC-157	Healing & Recovery	5 mg	3 mL	1.67 mg/mL	200–600 mcg once daily SC (common research range 250–500 mcg/day)
BPC-157 + TB-500	Healing & Recovery	10 mg	3 mL	3.33 mg/mL	600–1000 mcg total blend once daily SC (300–500 mcg of each peptide)
Bronchogen	Longevity	20 mg	2 mL	10 mg/mL	1-2 mg/day SC (10-day courses)
Buserelin	PCT & Ancillaries	5 mg	2.5 mL	2 mg/mL	500 mcg q8h SC ×7 days, then 200 mcg/day SC
Cagrilintide	Weight Loss	5 mg	3 mL	1.67 mg/mL	0.6–4.5 mg once weekly (gradual titration over 4–6 weeks)
Cagrilintide + Semaglutide	Weight Loss	10 mg	3 mL	3.33 mg/mL	0.25–2.4 mg of each peptide once weekly (gradual titration over 16+ weeks)
Capromorelin	Growth Hormone	30 mg	1 mL	n/a	Dogs 3 mg/kg, cats 2 mg/kg orally once daily
Cardiogen	Longevity	20 mg	2 mL	10 mg/mL	1-2 mg/day SC (10-day courses)
Cartalax	Longevity	20 mg	3 mL	6.67 mg/mL	2–5 mg (2000–5000 mcg) once daily SC
Cerebrolysin	Cognitive	60 mg	3 mL	20 mg/mL	20–32 mg daily SC, once or twice daily (clinical: 5–30 mL/day IV or IM)
Cerluten	Cognitive	20 mg	1 mL	n/a	10-40 mg/day orally (1-2 capsules, 1-2x daily)
Cetrorelix	PCT & Ancillaries	3 mg	3 mL	1 mg/mL	0.25 mg (250 mcg)/day SC, or a single 3 mg SC dose
Chelohart	Longevity	20 mg	2 mL	10 mg/mL	10-20 mg/day oral (2 caps); 1-2 mg/day SC reference
Chitomur	Longevity	10 mg	2 mL	n/a	10-40 mg/day orally (10 mg capsules)
Chonluten	Immune	20 mg	3 mL	6.67 mg/mL	250–4000 mcg once daily SC (titrated over 16 weeks)
CJC-1295 + GHRP-2	Growth Hormone	10 mg	3 mL	3.33 mg/mL	150–300 mcg once daily SC (or 100–150 mcg per injection twice daily)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

CJC-1295 DAC	Growth Hormone	2 mg	1 mL	2 mg/mL	2,000 mcg (2 mg) once weekly — the full vial per injection
CJC-1295 DAC + Ipamorelin	Growth Hormone	2 mg + 5 mg	2 mL	1.67 mg/mL	1 mg CJC-1295 DAC once weekly + 100–200 mcg ipamorelin once daily SC
CJC-1295 NO DAC	Growth Hormone	5 mg	3 mL	1.67 mg/mL	100–300 mcg once daily SC (research: 100 mcg 2–3×/day)
CJC-1295 NO DAC + Ipamorelin	Growth Hormone	10 mg	3 mL	3.33 mg/mL	100–300 mcg of each peptide once daily SC (titrated)
Cortagen	Cognitive	20 mg	3 mL	6.67 mg/mL	1000–2000 mcg once daily SC
Cortexin	Cognitive	10 mg	1 mL	10 mg/mL	10 mg once daily IM (10-day course)
Cotadutide	Weight Loss	5 mg	2 mL	2.5 mg/mL	50-300 mcg once daily, titrated (some trials to 600 mcg)
Crystagen	Immune	20 mg	2 mL	10 mg/mL	100-250 mcg/day SC, 10-day cycles
CT-388	Weight Loss	30 mg	1.5 mL	20 mg/mL	5-24 mg SC once weekly (investigational; titrated over ~4 months)
Dapiglutide	Weight Loss	30 mg	1 mL	30 mg/mL	4-26 mg once weekly (investigational, titrated)
Decapeptide-12	Skin & Hair	5 mg	2 mL	n/a	0.01% topical (~100 mcg per application), 2x/day
Dihexa	Cognitive	30 mg	1.5 mL	n/a	5-20 mg/day oral (no validated human dose)
DSIP	Cognitive	5 mg	3 mL	1.67 mg/mL	100–500 mcg once daily SC before bedtime
Dulaglutide	Weight Loss	10 mg	2 mL	5 mg/mL	0.75-4.5 mg SC once weekly
Ecnoglutide	Weight Loss	10 mg	2 mL	5 mg/mL	0.6-2.4 mg (600-2400 mcg) SC once weekly, 0.3 mg start
Efinopegdutide	Weight Loss	20 mg	2 mL	10 mg/mL	5-10 mg SC once weekly (10 mg target)
Efocipegtrutide	Weight Loss	20 mg	2 mL	10 mg/mL	2-6 mg SC once weekly
EGF	Skin & Hair	1 mg	2 mL	n/a	75 mcg per dose, 3×/week intralesional (25 mcg for smaller lesions); topical 10-50 mcg/mL
Eloralintide	Weight Loss	30 mg	3 mL	10 mg/mL	1–9 mg once weekly subcutaneously (Phase 2 trial range)
Epitalon	Longevity	10 mg	2 mL	5 mg/mL	5 mg once daily SC for 20 days, then 4–6 months off-cycle

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

Exenatide	Weight Loss	1 mg	2 mL	0.5 mg/mL	5->10 mcg SC twice daily (immediate-release); 2 mg SC once weekly (extended-release)
Eyeseryl	Skin & Hair	10 mg	2 mL	5 mg/mL	1-10% trade solution topically, 2x/day (cosmetic; no injectable dose)
Follistatin-315	Anabolics	1 mg	1 mL	1 mg/mL	100-300 mcg/day SC (research only; no clinical dose)
Follistatin-344	Anabolics	1 mg	2 mL	0.5 mg/mL	100-200 mcg/day SC (research; up to 300 mcg/day)
FOXO4-DRI	Longevity	10 mg	3 mL	3.33 mg/mL	250–500 mcg once daily SC (no validated human dose)
GHK-Cu	Skin & Hair	50 mg	3 mL	16.67 mg/mL	1.0–2.0 mg per injection (most common protocols use 5 days/week or 3×/week)
Ghrelin	Growth Hormone	5 mg	2 mL	2.5 mg/mL	~25-150 mcg per dose (~0.3-2 mcg/kg); IV in studies; research only
GHRP-1	Growth Hormone	5 mg	2 mL	2.5 mg/mL	~100 mcg per dose (~1 mcg/kg), 1-3x daily SC (research)
GHRP-2	Growth Hormone	5 mg	3 mL	1.67 mg/mL	100–200 mcg once daily SC (research: 100–300 mcg 2–3×/day)
GHRP-6	Growth Hormone	2 mg	3 mL	0.67 mg/mL	100–300 mcg per injection, 3×/day SC
Glandokort	Longevity	20 mg	2 mL	10 mg/mL	20 mg/day (2 x 10 mg caps), 30-day course
Glepaglutide	Healing & Recovery	20 mg	1 mL	20 mg/mL	10 mg SC once or twice weekly
GLOW	Skin & Hair	70 mg	3 mL	23.33 mg/mL	2,330 mcg total blend once daily SC (~1.7 mg GHK-Cu + 0.33 mg TB-500 + 0.33 mg BPC-157)
Glutathione	Metabolic	600 mg	2 mL	300 mg/mL	100–200 mg once daily SC (clinical IV: 600–2400 mg 1–3×/week)
Gonadorelin	PCT & Ancillaries	2 mg	2 mL	1 mg/mL	50–250 mcg per injection, 2–3 times weekly
Gotratix	Anabolics	50 mg	2.5 mL	n/a	10-20 mg/day oral (1-2 capsules)
HCG	PCT & Ancillaries	5000 IU	2 mL	2500.0 mg/mL	500 IU three times weekly SC (~1,500 IU/week); PCT schedule 1,000–2,000 IU per dose
Hexarelin	Growth Hormone	5 mg	2.5 mL	2 mg/mL	100 mcg per dose, 1-3x/day SC (~1-2 mcg/kg)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

HGH 191AA	Growth Hormone	10 IU	3 mL	1.11 mg/mL	0.2–0.9 mg once daily SC (titrated; extended schedule to 1.3 mg/day)
HMG	PCT & Ancillaries	0.15 mg / 75 IU	1 mL	0.1 mg/mL	75 IU (0.15 mg) three times weekly SC
Humanin	Longevity	10 mg	2 mL	5 mg/mL	No validated human dose; ~250-1000 mcg per injection educational reference (research only)
IGF-1 DES	Anabolics	1 mg	2 mL	0.5 mg/mL	20-100 mcg per injection (research)
IGF-1 LR3	Growth Hormone	1 mg	3 mL	0.33 mg/mL	20–50 mcg once daily SC (research range 20–80 mcg/day)
Ipamorelin	Growth Hormone	5 mg	3 mL	1.67 mg/mL	100–250 mcg once daily SC (research: 100–300 mcg 2–3×/day)
Kisspeptin	PCT & Ancillaries	10 mg	3 mL	3.33 mg/mL	100–200 mcg once daily SC
KLOW	Longevity	80 mg	3 mL	26.7 mg/mL	500 mcg each of TB-500, BPC-157 and KPV + 2.5 mg GHK-Cu once daily SC (range 250–750 mcg each)
KPV	Healing & Recovery	10 mg	3 mL	3.33 mg/mL	200–500 mcg once daily SC
L-Carnitine	Metabolic	200 mg	2 mL	100 mg/mL	50–100 mg once daily SC (oral: 1,000–3,000 mg/day)
Larazotide acetate	Healing & Recovery	10 mg	2 mL	n/a	0.5 mg before each meal (3x/day), oral
Leuphasyl	Skin & Hair	10 mg	2 mL	5 mg/mL	250–1000 mcg once daily SC (educational reference; clinical form is topical)
Leuprolide	PCT & Ancillaries	15 mg	3 mL	5 mg/mL	1 mg (1000 mcg)/day SC; depot 7.5 mg monthly to 45 mg every 6 months
Libidon	Longevity	20 mg	1 mL	n/a	10-20 mg/day orally (10 mg/capsule); 10-30 day course
Liraglutide	Weight Loss	15 mg	1.5 mL	10 mg/mL	0.6–3.0 mg once daily (Saxenda); max 1.8 mg once daily (Victoza)
Livagen	Longevity	20 mg	3 mL	6.67 mg/mL	0.5–2 mg (500–2000 mcg) once daily SC
Lixisenatide	Weight Loss	1 mg	3 mL	0.33 mg/mL	10 mcg/day for 14 days, then 20 mcg/day
LL-37	Immune	5 mg	3 mL	1.67 mg/mL	50–400 mcg once daily SC (research range 25–100 mcg per dose)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

Macimorelin	Growth Hormone	60 mg	1 mL	n/a	0.5 mg/kg single oral dose (about 30-50 mg for most adults)
MariTide	Weight Loss	420 mg	1 mL	420 mg/mL	140-420 mg SC once every 4 weeks (monthly)
Matrixyl	Skin & Hair	10 mg	3 mL	n/a	Topical 3 ppm (0.0003%) pal-KTTKS, applied twice daily
Mazdutide	Weight Loss	5 mg	3 mL	1.67 mg/mL	2.5–6 mg once weekly with gradual titration
Melanotan I	Skin & Hair	10 mg	2 mL	5 mg/mL	250 mcg/day SC (loading), then 250-500 mcg every 3-4 days
Melanotan II	Skin & Hair	10 mg	3 mL	3.33 mg/mL	250–1000 mcg once daily SC (loading), then 500–1000 mcg 1–2×/week
Methylene Blue	Cognitive	50 mg	2.5 mL	n/a	0.5-4 mg/kg orally (~5-30 mg/day low-dose nootropic)
MGF	Growth Hormone	5 mg	3 mL	1.67 mg/mL	100–300 mcg once daily SC (research: 100–200 mcg IM post-workout)
MK-677	Growth Hormone	20 mg	1 mL	n/a	10-25 mg once daily orally
MOTS-C	Metabolic	5 mg	3 mL	1.67 mg/mL	500–2000 mcg once daily SC (research: 5–10 mg 2–3×/week)
N-Acetyl Selank Amidate	Cognitive	10 mg	2 mL	n/a	600-900 mcg/day (intranasal, divided 2-3x daily)
N-Acetyl Semax Amidate	Cognitive	10 mg	2 mL	n/a	300-600 mcg/day intranasal (up to 900)
NAD	Longevity	500 mg	3 mL	166.67 mg/mL	50–100 mg once daily SC
Neuroxelin	Cognitive	48 mg	3 mL	16 mg/mL	250–1000 mcg daily; typical dose is 500 mcg
Noopept	Cognitive	30 mg	1.5 mL	20 mg/mL	20 mg/day (10-30 mg/day), split into 2 doses
Orforglipron	Weight Loss	30 mg	1.5 mL	n/a	1-36 mg once daily orally (titrated)
Ovagen	Longevity	20 mg	2 mL	10 mg/mL	10–150 mcg once daily SC (titrated; oral capsules ~100–200 mcg)
Oxyntomodulin	Weight Loss	30 mg	3 mL	10 mg/mL	1,780 mcg (400 nmol) SC 3x/day before meals
Oxytocin	Cognitive	5 mg	3 mL	1.67 mg/mL	100–500 mcg once daily SC (intranasal research: 24–40 IU)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

P21	Cognitive	10 mg	2 mL	5 mg/mL	250–1000 mcg once daily SC (educational model; no validated human dose)
Pancragen	Longevity	20 mg	2 mL	10 mg/mL	200 mcg/day oral; 0.5-2 mg/day SC (research)
PE-22-28	Cognitive	10 mg	3 mL	3.33 mg/mL	50–200 mcg once daily SC (research only)
PEG MGF	Growth Hormone	2 mg	3 mL	0.67 mg/mL	200–500 mcg once daily SC (research: 100–250 mcg 2×/week)
Pemvidutide	Weight Loss	10 mg	2 mL	5 mg/mL	1.2-2.4 mg once weekly (subcutaneous)
Pentadeca Arginate	Healing & Recovery	10 mg	2 mL	5 mg/mL	250-500 mcg 1-2x/day SC (up to ~1000 mcg/day)
Pentosan Polysulfate Sodium	Healing & Recovery	100 mg	1 mL	100 mg/mL	300 mg/day oral (100 mg 3×/day, FDA-approved); ~2 mg/kg SC weekly (investigational, off-label joint use)
Petrelintide	Weight Loss	10 mg	1 mL	10 mg/mL	2.4–9.0 mg once weekly (trial maintenance)
Pielotax	Longevity	20 mg	2 mL	n/a	20-40 mg/day oral (10 mg/cap; 15-30 day course)
Pinealon	Cognitive	20 mg	3 mL	6.67 mg/mL	1–2 mg once daily SC over a 10–20 day cycle
PNC-27	Anabolics	30 mg	3 mL	10 mg/mL	100–500 mcg once daily SC (no validated human dose)
Polynucleotides / PDRN	Skin & Hair	20 mg	2 mL	10 mg/mL	~20 mg (2 mL) per session intradermally; 3-4 sessions 2-4 weeks apart
Pramlintide	Weight Loss	5 mg	5 mL	1 mg/mL	15-60 mcg/meal (T1D); 60-120 mcg/meal (T2D)
Prostamax	Longevity	20 mg	2 mL	10 mg/mL	500–1000 mcg once daily IM (oral capsules: 200–400 mcg twice daily)
PT-141	Skin & Hair	10 mg	3 mL	3.33 mg/mL	500–1500 mcg once daily SC (approved on-demand dose: 1.75 mg before activity)
PT-141 + Melanotan II	Skin & Hair	10 mg + 10 mg	3 mL	3.33 mg/mL	On-demand subcutaneous use for sexual function; typical dose 1.75 mg (1750 mcg) administered >=45 min before activity
PTD-DBM	Skin & Hair	5 mg	2.5 mL	n/a	0.5-1 mg/mL topical to scalp (~250-1000 mcg per application)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

Relamorelin	Growth Hormone	1 mg	2 mL	0.5 mg/mL	10-30 mcg SC twice daily (up to 100 mcg studied)
Retatrutide	Weight Loss	5 mg	1 mL	5 mg/mL	2–12 mg once weekly (raised in 4-week steps; the schedules below top out at 8 mg or 12 mg)
Selank	Cognitive	5 mg	3 mL	1.67 mg/mL	300–500 mcg once daily SC (intranasal: 250–750 mcg 2–3×/day)
Semaglutide	Weight Loss	5 mg	2 mL	2.5 mg/mL	0.25–2.4 mg once weekly SC (16-week titration to 2.4 mg maintenance)
Semax	Cognitive	5 mg	3 mL	1.67 mg/mL	200–500 mcg once daily SC (intranasal: 600–1500 mcg/day)
Sermorelin	Growth Hormone	5 mg	3 mL	1.67 mg/mL	200–500 mcg once daily SC at bedtime
Setmelanotide	Weight Loss	10 mg	1 mL	10 mg/mL	2-3 mg/day SC (max 3 mg)
Sigumir	Longevity	20 mg	1 mL	n/a	10-20 mg/day orally (1-2 capsules), 30-day course
SLU-PP-332	Metabolic	5 mg	3 mL	1.67 mg/mL	No validated human dose; 1250–2500 mcg/day divided into 2 doses in the modeled murine schedule (research only)
SNAP-8	Skin & Hair	10 mg	3 mL	3.33 mg/mL	330–1000 mcg once daily SC (titrated)
SS-31	Metabolic	10 mg	1 mL	10 mg/mL	5–10 mg once daily SC (extended schedule up to 20 mg/day)
Stamakort	Longevity	20 mg	2 mL	10 mg/mL	10-20 mg/day orally (1-2 x 10 mg capsules), 30-day course; ~250-1,000 mcg/day in the educational SC model
Suprefort	Longevity	20 mg	1 mL	n/a	10-20 mg/day orally (1-2 capsules)
Survodutide	Weight Loss	10 mg	2 mL	5 mg/mL	0.6–6.0 mg once weekly (gradual titration over 10–12 weeks)
Svetinorm	Longevity	20 mg	2 mL	n/a	10-40 mg/day oral (1-2 capsules, 1-2x daily)
Syn-Ake	Skin & Hair	10 mg	2 mL	n/a	Topical 1-4% serum/cream, 1-2x daily (~250-1000 mcg per application)
Tabimorelin	Growth Hormone	20 mg	2 mL	n/a	1.5-6 mg/kg/day oral (research only)
Taxorest	Longevity	20 mg	2 mL	n/a	20 mg/day orally (2 caps); 10-40 mg/day range

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

TB-500	Healing & Recovery	5 mg	3 mL	1.67 mg/mL	500–1000 mcg once daily SC (~3.5–7 mg/week)
TB-500 + BPC-157	Healing & Recovery	5 mg + 5 mg	2 mL	2.5 mg/mL	1,250 mcg twice weekly SC (loading), then once weekly; daily alternative 250–500 mcg
Teduglutide	Healing & Recovery	5 mg	0.5 mL	10 mg/mL	0.05 mg/kg/day SC (~3.5 mg/day for a 70 kg adult)
Tesamorelin	Growth Hormone	5 mg	2.5 mL	2 mg/mL	2 mg once daily SC (1 mg week-1 titration)
Tesamorelin 5mg + Ipamorelin 5mg	Growth Hormone	10 mg	3 mL	3.33 mg/mL	125–1000 mcg of each peptide once daily SC (1:1 blend: every draw holds equal amounts of tesamorelin and ipamorelin)
Tesofensine	Weight Loss	5 mg	2 mL	n/a	0.5 mg (500 mcg) once daily orally (studied range 0.25-1.0 mg)
Testagen	Longevity	20 mg	3 mL	6.67 mg/mL	100–300 mcg once daily SC (titrated)
Testoluten	Longevity	20 mg	2 mL	n/a	10 mg/capsule; ~10-20 mg/day oral, 10-30 day course
Thymalin	Immune	10 mg	1 mL	10 mg/mL	10 mg/day IM (5-10 day course)
Thymogen	Immune	1 mg	2 mL	0.5 mg/mL	50-100 mcg/day
Thymopentin	Immune	50 mg	1 mL	50 mg/mL	50 mg SC/IM 3x/week
Thymosin Alpha-1	Immune	5 mg	3 mL	1.67 mg/mL	300–500 mcg once daily SC (clinical regimen: 1.6 mg twice weekly)
Thymulin	Immune	5 mg	2 mL	2.5 mg/mL	250-750 mcg/day SC (research only; not established in humans)
Thyreogen	Longevity	20 mg	2 mL	10 mg/mL	1-2 mg/day SC (educational); 10 mg/capsule oral
Tirzepatide	Weight Loss	5 mg	2 mL	2.5 mg/mL	2.5–15 mg once weekly (gradual 4-week titration steps)
Tri-Heal	Healing & Recovery	45 mg	3 mL	15 mg/mL	500–2000 mcg total blend once daily SC (extended schedules up to 4 mg/day)
Tripeptide-29	Skin & Hair	50 mg	2.5 mL	n/a	Topical 0.1–1% in skincare; oral collagen tripeptide ~1000–2500 mg/day
Triptorelin	PCT & Ancillaries	2 mg	2 mL	1 mg/mL	100 mcg SC (single test/daily) or 3.75-22.5 mg IM depot every 4-24 weeks
Ulimorelin	Growth Hormone	20 mg	1 mL	20 mg/mL	20-600 mcg/kg IV infusion (~80 mcg/kg most-studied); investigational

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart

Ventfort	Longevity	100 mg	2.5 mL	n/a	20 mg/day (2 × 10 mg capsules) for a 30-day course
Vesugen	Longevity	20 mg	3 mL	6.67 mg/mL	500–2000 mcg once daily SC (titrated)
Vialox	Skin & Hair	10 mg	2 mL	n/a	Topical ~0.05% active (~5% Vialox solution), 1-2x daily
Vilon	Longevity	20 mg	3 mL	6.67 mg/mL	67–670 mcg once daily for 5 consecutive days per cycle
VIP	Healing & Recovery	5 mg	2 mL	n/a	50 mcg per dose, 1-4 times daily (intranasal in practice)
Visoluten	Longevity	20 mg	2 mL	10 mg/mL	2.5-5 mg/day SC reference; 10-20 mg/day oral (2 caps)
VK2735	Weight Loss	30 mg	1.5 mL	20 mg/mL	2.5-15 mg once weekly (subcutaneous, titrated)
Vladonix	Immune	20 mg	1 mL	n/a	10-20 mg/day orally (1-2 × 10 mg capsules)
Zhenoluten	Longevity	20 mg	1 mL	n/a	20 mg/day orally (10 mg twice daily)

Educational reference only, not medical advice. Figures restate the research protocol published at the address above.

www.peptidedosage.org/peptide-dosage-chart